

| L Number | Hits | Search Text | DB | Time stamp |
|----------|----------|--|---|---------------------|
| - | 2 | 5828847.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/14 09:29 |
| - | 25 | client\$1 near10 stor\$4 near10 availabil\$4 near10 server\$1 and @ad<19991101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 10:28 |
| - | 18401359 | load\$1 near10 balanc\$4 near10 application\$1 near10 server\$1 @ad<19991101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 10:17 |
| - | 89 | load\$1 near10 balanc\$4 near10 application\$1 near10 server\$1 and @ad<19991101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 10:18 |
| - | 17 | load\$1 near10 balanc\$4 near10 application\$1 near10 server\$1 near10 client\$1 and @ad<19991101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 10:18 |
| - | 1 | client\$1 near10 cach\$4 near10 availabil\$4 near10 server\$1 and @ad<19991101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 10:27 |
| - | 3 | client\$1 adj10 stor\$4 adj10 availabil\$4 adj10 server\$1 and @ad<19991101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 10:28 |
| - | 135 | load\$1 adj5 balanc\$5 adj10 server\$1 near10 client\$1 and @ad<19991101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 10:29 |
| - | 6 | load\$1 adj5 balanc\$5 adj10 server\$1 near10 client\$1 near10 availabilit\$4 and @ad<19991101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 10:36 |
| - | 0 | load\$1 adj5 balanc\$5 adj10 active adj3 server\$1 near10 client\$1 near10 availabilit\$4 and @ad<19991101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 10:36 |
| - | 1 | load\$1 adj5 balanc\$5 adj10 active adj3 server\$1 and @ad<19991101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 10:36 |
| - | 40 | "5828847" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 10:37 |
| - | 29 | "5828847" and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 10:42 |

| | | | | |
|---|---------|---|---|---------------------|
| - | 11 | client\$2 near10 request\$3 near10 subset\$3 near10 server\$2 and load near5 balanc\$4 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 10:53 |
| - | 56 | client\$2 near10 request\$3 near10 list\$4 near10 server\$2 and load near5 balanc\$4 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 10:54 |
| - | 50 | client\$2 near10 request\$3 near10 (list\$2 listing\$1) near10 server\$2 and load near5 balanc\$4 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 10:54 |
| - | 37 | client\$2 near10 request\$3 near10 (list\$1 listing\$1) near10 server\$2 and load near5 balanc\$4 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 11:06 |
| - | 2 | 6711606.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 10:58 |
| - | 33 | client\$1 near10 maintain\$4 near10 (list\$1 listing\$1) near10 server\$1 and distribut\$4 near10 load near5 balanc\$4 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 12:10 |
| - | 0 | cach\$4 near10 availabil\$5 near10 active near10 server\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 12:11 |
| - | 24 | cach\$4 near10 availabil\$5 near10 server\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 12:13 |
| - | 21 | client\$1 near10 choos\$4 near10 server\$1 near10 availab\$6 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 12:19 |
| - | 90 | application adj3 server\$1 near10 client\$2 near10 availab\$7 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 12:19 |
| - | 2013684 | application adj3 server\$1 near10 client\$2 near10 availab\$7 near10 cach\$4 and load\$1 near\$3 balanc\$4 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 12:21 |
| - | 0 | application adj3 server\$1 near10 client\$2 near10 availab\$7 near10 cach\$4 and load\$1 near3 balanc\$4 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 12:22 |
| - | 7 | application adj3 server\$1 near10 client\$2 near10 availab\$7 near10 cach\$4 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 12:27 |
| - | 85 | server\$1 near10 client\$2 near10 availab\$7 near10 cach\$4 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 12:32 |

| | | | | |
|---|----|--|---|---------------------|
| - | 25 | server\$1 adj5 availab\$7 near10 client\$2 near10 cach\$4 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 12:32 |
| - | 6 | availabil\$4 near10 server\$1 near10 cach\$4 near4 client\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:11 |
| - | 55 | database\$1 near10 availabil\$4 near10 server\$1 near10 client\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:12 |
| - | 26 | database\$1 near10 availabil\$4 near10 server\$1 near10 client\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:16 |
| - | 9 | server adj3 availab\$6 near10 database\$1 near10 client\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:18 |
| - | 3 | database\$1 near10 monitor\$4 near10 availabil\$6 near10 server\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:20 |
| - | 85 | monitor\$4 near10 availabil\$6 near10 server\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:20 |
| - | 0 | monitor\$4 near10 availabil\$6 near10 server\$1 same (cach\$4 near10 client\$1) and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:20 |
| - | 17 | monitor\$4 near10 availabil\$6 near10 server\$1 same client\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:20 |
| - | 4 | monitor\$4 near10 availabil\$6 near10 server\$1 same client\$1 same load\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:26 |
| - | 2 | monitor\$4 near10 availabil\$6 near10 server\$1 and client\$1 near10 load\$1 and @ad<19991118 not (monitor\$4 near10 availabil\$6 near10 server\$1 same client\$1 same load\$1 and @ad<19991118) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:29 |
| - | 2 | "20020163904" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:30 |
| - | 20 | stor\$4 near10 availabil\$6 near10 server\$1 near10 client\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:37 |
| - | 2 | client\$1 near3 stor\$4 near10 availabil\$6 near10 server\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:39 |

| | | | | |
|---|------|---|---|---------------------|
| - | 0 | client\$1 near3 cach\$4 near10 availabil\$6 near10 server\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:39 |
| - | 24 | cach\$4 near10 availabil\$6 near10 server\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:46 |
| - | 1940 | database\$1 near10 collect\$4 near10 server\$1 availabil\$4 and @ad<19991118 and 709/224.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:50 |
| - | 0 | database\$1 near10 collect\$4 near10 server\$1 near10 availabil\$4 and @ad<19991118 and 709/224.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:51 |
| - | 0 | database\$1 near10 collect\$4 near10 server\$1 near10 availabil\$6 and @ad<19991118 and 709/224.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:51 |
| - | 0 | database\$1 near10 monitor4 near10 server\$1 near10 availabil\$6 and @ad<19991118 and 709/224.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:51 |
| - | 0 | database\$1 near10 monitor4 near10 server\$1 near10 availabil\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:51 |
| - | 0 | database\$1 near10 monitor\$4 near10 server\$1 near10 availabil\$6 and @ad<19991118 and 709/224.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:52 |
| - | 3 | database\$1 near10 monitor\$4 near10 server\$1 near10 availabil\$6 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 09:53 |
| - | 70 | monitor\$4 near10 server\$1 near10 availabil\$6 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 10:01 |
| - | 11 | send\$4 near10 client near10 availabil\$6 near10 server\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 10:06 |
| - | 11 | send\$4 near10 client\$1 near10 availabil\$6 near10 server\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 10:07 |
| - | 4 | transmit\$6 near10 client\$1 near10 availabil\$6 near10 server\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 10:15 |
| - | 4 | "5987502" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 10:20 |

| | | | | |
|---|-----|---|---|---------------------|
| - | 3 | database\$1 near10 monitor\$4 near10 availabil\$4 near10 server\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 10:21 |
| - | 16 | database\$1 near10 stor\$4 near10 availabil\$4 near10 server\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 10:22 |
| - | 19 | database\$1 near10 availabil\$4 near10 server\$1 and @ad<19991118 and 709/223-226.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 10:26 |
| - | 13 | database\$1 near10 availabil\$4 near10 server\$1 and subset\$1 and @ad<19991118 and 709/223-226.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 10:29 |
| - | 54 | database\$1 near10 availabil\$4 near10 server\$1 and subset\$1 and @ad<19991118 not (database\$1 near10 stor\$4 near10 availabil\$4 near10 server\$1 and @ad<19991118) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 10:29 |
| - | 27 | cluster\$1 near10 database\$1 and @ad<19991118 and 709/223-226.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 10:57 |
| - | 4 | "9807683" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 10:32 |
| - | 0 | GB2336449 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 10:37 |
| - | 12 | "2336449" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 10:37 |
| - | 7 | cluster\$1 near10 database\$1 same availabil\$6 and @ad<19991118 and 709/223-226.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 11:07 |
| - | 135 | database\$1 same availabil\$6 and @ad<19991118 and 709/223-226.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 11:07 |
| - | 128 | database\$1 same availabil\$6 and @ad<19991118 and 709/223-226.ccls. not (cluster\$1 near10 database\$1 same availabil\$6 and @ad<19991118 and 709/223-226.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 11:07 |
| - | 36 | database\$1 same availabil\$6 near10 server\$1 and @ad<19991118 and 709/223-226.ccls. not (cluster\$1 near10 database\$1 same availabil\$6 and @ad<19991118 and 709/223-226.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 11:16 |
| - | 1 | database\$1 near10 (send\$4 transmit\$5) near10 client\$1 near10 availabil\$6 near10 server\$1 and @ad<19991118 and 709/223-226.ccls. not (cluster\$1 near10 database\$1 same availabil\$6 and @ad<19991118 and 709/223-226.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 11:22 |

| | | | | |
|---|-----|--|---|---------------------|
| - | 1 | database\$1 near10 (send\$4 transmit\$5) near10 client\$1 near10 availabil\$6 near10 server\$1 and @ad<19991118 not (cluster\$1 near10 database\$1 same availabil\$6 and @ad<19991118 and 709/223-226.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 11:23 |
| - | 1 | database\$1 near10 (send\$4 transmit\$5) near10 client\$1 near10 availabil\$6 near10 server\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 11:23 |
| - | 369 | server\$1 near10 availabil\$4 near10 database\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 11:23 |
| - | 100 | server\$1 near10 availabil\$4 near10 database\$1 and 709/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 11:23 |
| - | 54 | server\$1 near10 availabil\$4 near10 database\$1 and send\$3 near10 client\$1 and 709/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 11:24 |
| - | 26 | server\$1 near10 availabil\$4 near10 database\$1 and send\$3 near10 client\$1 and 709/\$.ccls. and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 11:24 |
| - | 2 | 6681251.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 12:07 |
| - | 78 | workload adj1 balanc\$4 near10 server\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 12:53 |
| - | 27 | workload adj1 balanc\$4 near10 server\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 13:57 |
| - | 0 | monitor\$4 near10 processor\$1 near10 server near10 \$2availabil\$6 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 14:19 |
| - | 0 | monitor\$4 near10 processor\$1 near10 server\$1 near10 \$2availabil\$6 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 14:19 |
| - | 224 | monitor\$4 near10 processor\$1 near10 server\$1 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 14:19 |
| - | 0 | monitor\$4 near10 processor\$1 near10 server\$1 and @ad<19991118 and 709/223.226.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 14:21 |
| - | 29 | monitor\$4 near10 processor\$1 near10 server\$1 and @ad<19991118 and 709/223-226.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/13 14:23 |

| | | | | |
|---|-----|--|---|---------------------|
| - | 146 | monitor\$4 near10 process\$4 near10 server\$1 and @ad<19991118 and 709/223-226.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/05/13 14:24 |
| - | 9 | monitor\$4 near10 process\$4 near10 server\$1 same availabil\$6 and @ad<19991118 and 709/223-226.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/05/13 15:12 |
| - | 1 | availabil\$6 near10 heterogeneous\$1 near10 network\$4 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/05/13 15:13 |
| - | 34 | processing adj1 power\$1 near10 availabil\$6 and @ad<19991118 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/05/13 15:14 |
| - | 6 | processing adj1 power\$1 near10 availabil\$6 and @ad<19991118 and 709/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/05/13 15:14 |